Entered -07-06-00 - sb CL 00L0405 - GWENDOLYN BURNS

CLAIM OF:

SAFIYYAH S. SABIR

1638 Woodland Avenue, SE Atlanta, Georgia 30316-3156 01- $_{R}$ -1403

For damages alleged to have been sustained when smoke was blown into a residence during a sewer line test on May 3, 2000 at1638 Woodland Avenue, SE.

THIS ADVERSED REPORT IS APPROVED

ibens Kengel **DEPUTY CITY ATTORNEY**

ADVERSE REPORT

PUBLIC SAFTEY & LEGAL ADMINISTRATION COMMITTEE



RHONDA DAUPHIN JOHNSON, CMC MUNICIPAL CLERK 55 TRINITY AVENUE, S.W. SECOND FLOOR, EAST SUITE 2700 ATLANTA, GEORGIA 30335 (404) 330-6033 FAX (404) 658-6103

September 19, 2001

Safiyyah S. Sabir 1638 Woodland Avenue, SE Atlanta, Georgia 30316-3156

01-R-1403

Dear Ms. Sabir:

I sincerely regret that you have been adversely affected by the circumstances raised in your claim for damages against the City of Atlanta. Your time and patience in this matter has been greatly appreciated.

However, I must notify you that the Atlanta City Council Adopted an Adverse Report on your claim at its regular meeting on September 17, 2001. In consultation with the City's Law Department, who conducted an investigation of the situation, the Council has determined that the City cannot accept responsibility for this matter and therefore cannot pay this claim.

If you desire any further information, please contact the **City Attorney's Office/Claims Division at (404) 330-6400**.

Yours very truly,

Rhonda Dauphin Johnson, CMC

Municipal Clerk

cc: Claims Division/Law Department

DEPARTMENT OF LAW - CLAIM INVESTIGATION SUMMARY

Claim No. 00L0405	Date:August 17, 2001
Claimant /Victim SAFIYYAH S. SABIR	
BY: (Atty) (Ins. Co.)	
Address: 1638 Woodland Avenue, SE, Atlanta, G	eorgia 30316
Subrogation: Claim for Property damage	\$ Bodily Injury \$ unspecified
Date of Notice: 6/26/00 Method	\$Bodily Injury \$_unspecified d: Written, Proper Bodily Injury \$_unspecified
Conforms to Notice: O.C.G.A. §36-33-5	X Ante Litem (6 Mo.) X
Date of Occurrence 5/3/00	Place: 1638 Woodland Avenue, SE
Department Div	ision
Employee involved	Disciplinary Action:
test filled her home. An investigation determined th	mily sustained damage when carbon monoxide smoke from a sewer line at a private contractor was performing a sewer line test at the incident her claim has been forwarded to the private company for resolution.
INVESTIGATION: Statements: City employee Claimant _	OthersWrittenOral
Pictures Diagrams Reports: I	Police Dept Report Other X
Traffic citations issued: City Driver	Claimant Driver
Citation disposition: City Driver	Claimant Driver
BASIS OF RECOMMENDATION:	
Function: Governmental	Ministerial s Other X Damages reasonable
Improper Notice More than Six Months	S Other X Damages reasonable
City not involved X Offer	rejected Compromise settlement
Repair/replacement by Ins. Co.	Repair/replacement by City Forces
Claimant Negligent City Negligent_	Joint Claim Abandoned
	Respectfully submitted,
	MVISTIGATOR - GWENDOLYN BURNS
RECOMMENDATION:	
Pay \$Adverse X/	Account charged: 1A01 2J01 2H01
Claims Manager: / ///	Concur/date <u>18-2701</u>
Committee Action:	Council Action

Atlanta City Council

Regular Session

MULTIPLE 01-R-1403

Unfavorable Claims; Items 20-59

ADOPT

YEAS: 12
NAYS: 0
ABSTENTIONS: 0
NOT VOTING: 3
EXCUSED: 1

ABSENT 0

Y McCarty Y Dorsey Y Moore Y Thomas Y Starnes NV Woolard Y Martin Y Emmons Y Bond Y Morris E Maddox NV Alexander Y Winslow Y Muller Y Boazman NV Pitts